√ 3				NBPO
Approvi	HEADQUARTE BID PACKAGE	RS EXPANSION	289-00	244R000300150010-7 ECTION 00010 PAGE 1 ATE 11/28/83 TIME 17.929 TITLE PAGE
(17	2)	7 0111 3		
7	3)			· ·
7	4)			2001507 WWW.
7	5)			PROJECT MANUAL
•				FOR
7	6) 7)	•		BID PACKAGE 3SP SUPPLY CONTRACT - PUMPS
7	8)			FOR
7	9) -10) 11)			HEADQUARTERS EXPANSION CENTERAL INTELLIGENCY AGENCY WASHINGTON, D.C.
7	12)			·
7	13)			
. 7	14)			
, 7 ·	15)			
7	16)			
7 7	17)			
7.	18)	<i>,</i> ,		
, 7	19)	•		
. 7	20)	No.		•
7	21)			
7	22)			
7	23)	÷		
7	24)			
			•	
7	25)			
7	26)			
7	27)			
7	28)			
, 7	29) 30) 31)			SMITH, HINCHMAN & GRYLLS ASSOCIATES, INC. ARCHITECTS - ENGINEERS - PLANNERS 455 WEST FORT STREET
_	32)			DETROIT, MICHIGAN 48226
7	33) 34)			PROJECT NO. 13155 BP-3SP DECEMBER 1, 1983

```
Approved For Release 2009/04/02 : CIA-RDP89-00244R000300150010-7
                                                                     ECTION GOULS
                                                                                       PAGE
           CENTRAL INTELLIGER AGENCY
                                                                    ATE 11/28/33 TIME 17.929
           HEADQUARTERS EXPANSION
                                                                              TABLE OF CONTENTS
           BID PACKAGE 3SP
           SUPPLY CONTRACT - PUMPS
               1)
                   DOCUMENTA
               2)
                   SECTION NO.
                                            TITLE
               5)
                   ______
     7
              4)
              5)
                   BIDDING REGUIREMENTS
              6)
                      00010
                                      TITLE PAGE
              73
                      JU015
                                      TABLE OF CONTENTS
     7
              8)
                                      +SULICITATION, OFFER, AND AWARD
              9)
                                      (STANDARD FORM 33 - REV. 3-77)
     7
             19)
                      U0033ATTA
                                      ATTACHMENT "A" TO STANDARD FORM 33
             11)
                                      (PU4PS) .
     7
             12)
                     00033M
                                     +MODIFICATION TO STANDARD FORM 33
             13)
                                     +SOLICITATION INSTRUCTIONS AND CONDITIONS
             14)
                                      (STANDARD FORM 33-A - REV. 1-73)
                  COMBITIONS OF THE COUTRACT
             15)
    7
             16)
                                     FGEHERAL PROVISIONS (SUPPLY CONTRACT)
             17)
                                      (STANDARD FORM 32 - REV. 4-75)
    7
             18)
                                     +65A SUPPLEMENTAL PROVISIONS
             19)
                                      (SSA FORM 1424 - REV. 9-78)
            20)
                                     +MODIFICATION OF GSA SUPPLEMENTAL PROVISIONS
            21)
                     00110
                                      SPECIAL CONDITIONS
            . 22)
                                      (SUPPLY CONTRACT)
    7
            23)
                     0J110A
                                      APPENDIX 'A' - WARRANTY
    7
            24)
                  SPECIFICATIONS.
    7
            25)
                   DIVISION.1 - GENERAL REQUIREMENTS
    7
            26)
                     01310
                                      SCHEDULE AND TIME OF COMPLETION
            27)
                     01340
                                      SHOP DRAWINGS, PRODUCT DATA AND SAMPLES
    7
            (85
                     01340A
                                     APPENDIX "A" - GOVERNMENT'S SUBMITTALS REVIEW STAMP
            29)
                    01600
                                     DELIVERY AND STORAGE
                  DIVISION 15 - MECHANICAL
            30)
    7
            31)
                    15610
                                     CONDENSER WATER PUMPS
   7
            32)
                 + - DOCUMENT TO BE INSERTED BY GSA.
         ***END OF SECTION
```

Approved For Release 2009/04/02 : CIA-RDP89-00244R000300150010-7

?

Approv	ved For Rel	ase 2009/04/02 : CIA-RDP89-00244R000300150010-7CTION 00033ATTA PAG	E 1
	. CENTRAL	INTELLIGEN AGENCY ATE 11/29/83 TIME 1	
1	· -	TERS EXPANSION ATTACHMENT "A" TO	SF33
			(29MU
•	SUPPLY	ONTRACT - PUMPS	
1.5	2)	ATTACHMENT '* A *	
	3)	TO SF33	
	4)	(PUMPS)	
7	5)		
. 7	6)	CONTRACT GS-11C	
7	7)	BIDDER'S NAME:	•
7	8)	•	
7	9)	1. BID PRICE FOR SEVEN CONDENSER WATER PUMPS, F.O.W. PROJECT SITE:	
7	10)	DOLLARS	
7	11)	(\$)	
7	12)	2. DELIVERY SCHEDULE	
7	13)	IN ACCORDANCE WITH SECTION 01310.	
7	14)	3. DATE BY WHICH BIDDER MUST RECEIVE APPROVED SHOP DRAWINGS,	
	15)	PRODUCT DATA AND RELATED SUBMITTALS IN GROEK TO MEET	
	16)	SPECIFIED DELIVERY DATE:	
7	17)		

Approve	SHOG 13155 BP-3SP d For Release 2009/04/02: CIA-RDP89-00244R000300150010-7 ATE 11/29/83 TIME 18.44 BID PACKAGE 3SP SUPPLY CONTRACT SUPPLY CONTRACT	15
	ARTICLE INDEX	ΙE
	1. DEFINITIONS	1
	2. NONPUBLICITY	1
	3. BIDDING REQUIREMENTS	0
	4. FOREIGN OWNERSHIP CONTROL OF INCLUENCE	2
	5. ADMINISTRATION OF THE CONTRACT	7
	6. LIQUIDATED DAMAGES	2
	7. WARRANTIES AND GUARANTIES	
	8. LAWS, ORDINANCES AND REGULATIONS	
	9. PATENT INDEMNITY	
	10. INSURANCE	
	11. SUCCESSORS AND ASSIGNS	
	12. WRITTEN NOTICE	
	13. CLAIMS FOR DAMAGES	
	14. RIGHTS AND REMEDIES	
	15. ASSIGNMENT OF CONTRACT	
(***END OF INDEX	•
•		
1	1. DEFINITION	S
2	2) THE CONTRACT DOCUMENTS	
	THE CONTRACT DOCUMENTS CONSIST OF THE SUPPLY CONTRACT (BETWEEN THE GOVERNMENT AND THE CONTRACTOR), THE CONDITIONS OF THE CONTRACTOR (GENERAL AND SUPPLEMENTAL PROVISIONS, SPECIAL CONDITIONS, AND RELATED DOCUMENTS), THE DRAWINGS, THE SPECIFICATIONS, AND ALL ADDENDA ISSUED PRIOR TO AND ALL CHANGES ISSUED AFTER EXECUTION OF THE CONTRACTOR (CHANGES ARE DEFINED IN CLAUSE NO. 2 OF THE GENERAL PROVISIONS.	T) ·
5	9) THE PROJECT	•
3	10) THE PROJECT IS THE TOTAL CONSTRUCTION OF WHICH THE SUPPLIES FURNISHED 11) UNDER THE CONTRACT DOCUMENTS ARE A PART.	,
5	12) THE ARCHITECT	
3	13) THE ARCHITECT IS:	•
7	14) SMITH, HINCHMAN & GRYLLS ASSOCIATES, INC. 15) 455 WEST FORT STREET 16) DETROIT, MICHIGAN 48226	
3	17) THE TERM ""ARCHITECT"" MEANS THE ARCHITECT OR HIS AUTHORIZED 18) REPRESENTATIVE.	ı
. 2	19) THE CONTRACTOR	
3	20) THE CONTRACTOR IS THE INDIVIDUAL, PARINERSHIP, JOINT VENTURE, OR 21) CORPORATION NAMED IN THE SUPPLY CONTRACT, REFERRED TO FROM TIME TO 22) TIME, AS "SUPPLY CONTRACTOR", FOR PURPUSES OF CLARIFICATION.	
5	23) THE INSTALLING CONTRACTOR	-

Approved For Release 2009/04/02 : CIA-RDP89-00244R000300150010-7 SH&G 13155 8P-3SP ENTRAL INTELLIGENCE AGENCY SPECIAL CONDITIONS HEADQUARTERS EXPANSION (SUPPLY CONTRACT) BID PACKAGE 3SP SUPPLY CONTRACT - PUMPS 3. 24) THE INSTALLING CONTRACTOR IS THE ORGANIZATION WHOSE CONTRACT WITH THE GOVERNMENT FOR JORK ON THE PROJECT INCLUDES RESPONSIBILITY RECEIVING, TRANSPORTING AFTER RECEIPT, STORING AS APPROPRIATE 25) FOR 26) AND 27) INSTALLING THE SUPPLIES. THE INSTALLING CONTRACTOR WILL BE THE CONTRACTOR FOR BID PACKAGE 3 - POWERHOUSE. 28) 2 29) BENEFICIAL ACCEPTANCE 30) BENEFICIAL ACCEPTANCE FOR ANY ITEM OF SUPPLIES IS THE DATE THE 31) GOVERNMENT PLACES THAT ITEM IN USE FOR ITS INTENDED PURPOSE, SUBSEQUENT TO ONSITE OPERATION FOR START-UP AND TESTING. 32) 2 33) MISCELLANEOUS DEFINITIONS THE TERM ""SUPPLIES" SHALL BE READ TO INCLUDE WITHOUT LIMITATION RAW 3 34) 35) MATERIALS. COMPONENTS INTERMEDIATE ASSEMBLIES AND END PRODUCTS TO BE 36) FURNISHED UNDER THE CONTRACT. (REFER. TO CLAUSE NO. 5 OF THE GENERAL 37) PROVISIONS). THE TERM ""PER" MEANS ""IN ACCORDANCE WITH THE REQUIREMENTS OF ". 3 38) 3 39) THE TERM ""AS APPROVED"" MEANS, ""OR EQUAL"" AS DESCRIBED IN ARTICLE NO. 32 OF THE GSA SUPPLEMENTAL PROVISIONS. 40) 1 41) - 2. NONPUBLICITY 2 42) IT IS A SPECIFIC CONDITION OF THE CONTRACT THAT THE CONTRACTOR SHALL NOT USE OR ALLOW TO BE USED ANY ASPECT OF THIS AGREEMENT FOR PUBLICITY OR 43) 44) ADVERTISEMENT PURPOSES. IT IS FURTHER UNDERSTOOD THAT THIS OBLIGATION SHALL NOT EXPIRE UPON 2 45) COMPLETION OR TERMINATION OF THE CONTRACT BUT WILL CONTINUE INDEFINITELY. 46) 2 47) THE CONTRACTOR MAY REQUEST A WAIVER OR RELEASE FROM THE FOREGOING BUT 48) SHALL NOT DEVIATE THEREFROM UNLESS SO AUTHORIZED IN WRITING BY THE 49) GOVERNMENT. 1 50) 3. BIDDING REQUIREMENTS BIDDER SHALL ENTER IN SECTION 00033ATTA, "ATTACHMENT A TO SF33 (PUMPS)", ALL INFORMATION REQUESTED. REFER TO STANDARD FORM 33-A. 2 51) .523 3 53) BID PRICE SHALL BE A LUMP SUM FOR DELIVERY OF THE SPECIFIED SUPPLIES 54) F.O.B. PROJECT SITE BY THE DATE SPECIFIED IN SECTION 01310. "SCHEDULE 55) AND TIME OF COMPLETION ... IN ESTABLISHING DATE BY WHICH BIDDER MUST RECEIVE SHOP DRAWINGS. 3 56) 57) PRODUCT DATA AND RELATED SUBMITTALS IN ORDER TO MEET THE SPECIFIED DELIVERY DATE, BIDDER SHALL CONSIDER THE FACT THAT FOR EACH SUBMITTAL, 58) ARCHITECT WILL REQUIRE 14 CALENDAR DAYS FROM DATE SUBMITTAL ENTERS ARCHITECT'S OFFICE UNTIL THE SUBMITTAL LEAVES TO RETURN TO THE 59) 60) 61) CONTRACTOR. . 1 62) 4. FOREIGN DENERSHIP CONTROL OR INFLUENCE VENDORS RESPONDING TO THIS REQUEST FOR PROPOSAL (RFP) ARE ADVISED THAT IT 5 IS THE GOVERNMENT'S INTENT TO SECURE SERVICES OR EQUIPMENT FROM FIRMS 64) 65) WHICH ARE NOT UNDER FOREIGN OWNERSHIP, CONIRCL, GR INFLUENCE (FOCI) WHERE ANY FOCI MAY, IN THE OPINION OF THE GOVERNMENT ADVERSELY IMPACT ON GOVERNMENT SECURITY REQUIREMENTS. ACCORDINGLY, ALL FIRMS RESPONDING TO 67) 68) THIS RFP OR INITIATING PERFORMANCE OF A CONTRACT ARE REQUIRED TO SUBMIT A DOD FORM 4418 (CERTIFICATE PERTAINING TO FOREIGN INTERESTS) WITH THEIR 69) 20) PROPOSAL OR PRIOR TO CONTRACT PERFORMANCE (AS.APPROPRIATE). DOD FORM 441S ENTRIES SHALL SPECIFY, WHERE NECESSARY, THE IDENTITY, NATURE, DEGREE, AND 71) IMPACT OF ANY FOCI ON THEIR ORGANIZATION OR AUTIVITIES. 72)

```
SECTION 00110 PAGE 11/29/83 TIME 18-443
                                                                         HEADQUARTERS EXPANSION
     SPECIAL CONDITIONS
                                                                                 BID PACKAGE 3SP
      (SUPPLY CONTRACT)
                                                                        SUPPLY CONTRACT - PUMPS
                                                                   7. WARRANTIES AND GUARANTIES
        115)
               WARRANTY
2
        116)
                   THE CONTRACTOR WARRANTS TO THE GOVERNMENT THAT ALL SUPPLIES FURNISHED
                   UNDER THIS CONTRACT WILL BE NEW UNLESS OTHERWISE SPECIFIED, AND THAT
        117)
3
                   ALL WORK WILL BE OF GOOD QUALITY, FREE FROM FAULTS AND DEFECTS AND IN
        118)
                   CONFORMANCE WITH THE CONTRACT DOCUMENTS. ALL WORK NOT CONFORMING TO
         119)
                   THESE REQUIREMENTS, INCLUDING SUBSTITUTIONS NOT PROPERLY APPROVED AND
        120)
                   AUTHORIZED, MAY BE CONSIDERED DEFECTIVE. IF REGUIRED BY THE CONTRACT
         121)
                   DOCUMENTS OR THE CONTRACTING OFFICER, THE CONTRACTOR SHALL FURNISH SATISFACTORY EVIDENCE AS TO THE KIND AND QUALITY OF SUPPLIES FURNISHED. THIS WARRANTY IS NOT LIMITED BY THE PROVISIONS FOR
         122)
         123)
         124)
                   CORRECTION OF DEFECTIVE OR NON-CONFORMING WURK HEREIN.
         125)
         126)
               CORRECTION OF DEFECTS
         127)
 2
                        WITHIN ONE YEAR AFTER BENEFICIAL ACCEPTANCE BY THE OWNER OF
                   DESIGNATED SUPPLIES OR WITHIN SUCH LONGER PERIOD OF TIME AS MAY BE
                   IF,
         128)
. 3
                   PRESCRIBED BY LAW OR BY THE TERMS OF ANY APPLICABLE SPECIAL WARRANTY
         129)
                   REQUIRED BY THE CONTRACT DOCUMENTS, ANY SUPPLIES ARE FOUND TO BE DEFECTIVE OR NOT IN ACCORDANCE WITH THE CONTRACT DOCUMENTS, THE CONTRACTOR SHALL MAKE CORRECTION PROMPTLY AFTER RECEIPT OF A WRITTEN
         130)
         131)
         132)
                   NOTICE FROM THE GOVERNMENT TO DO SO, UNLESS IN THE PUBLIC INTEREST THE
         133)
                   GOVERNMENT CONSENTS TO ACCEPT SUCH SUPPLIES WITH AN APPROPRIATE ADJUSTMENT IN CONTRACT PRICE. THIS OBLIGATION SHALL SURVIVE
         134)
         135)
         136)
                    TERMINATION OF THE CONTRACT.
         137)
                PRIOR TO FINAL PAYMENT, SUBMIT TO THE CONTRACTING OFFICER A WARRANTY FOR
                THE SUPPLIES FURNISHED. THE WARRANTY SHALL DE IN TRIPLICATE IN THE FORM
         138)
  S
                SHOWN IN SECTION 00110A, "APPENDIX "A" - WARRANTY".
          139)
          140)
                                                            8. LAWS, ORDINANCES AND REGULATIONS
          141)
  1
                THE CONTRACTOR SHALL COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL
                LAWS, ORDINANCES, AND REGULATIONS, AND SHALL REGULRE SUCH COMPLIANCE, BY
          142)
  2
                 ALL OTHER PERSONS WITH WHOM HE SHALL ENTER INTO ANY CONTRACT PERTAINING
          143)
                 TO THE WORK. THE CONTRACTOR SHALL BE LIABLE FOR AND INDEMNIFY AND HOLD
          144)
                 HARMLESS THE GOVERNMENT, AND THE ARCHITECT AND THEIR RESPECTIVE CONSULTANTS, AGENTS AND EMPLOYEES FROM ANY AND ALL LIABILITY OR DAMAGE
          145)
          146)
                 ARISING BY REASON OF THE BREACH OF THE PROVISIONS HEREIN SET FORTH.
          147)
          148)
                     IS NOT THE RESPONSIBILITY OF THE CONTRACTOR TO MAKE CERTAIN THAT THE
                 CONTRACT DOCUMENTS ARE IN ACCORDANCE WITH APPLICABLE LAWS, ORDINANCES AND
          149)
  2
                 REGULATIONS. HOWEVER, IF THE CONTRACTOR OBSERVES THAT ANY OF THE CONTRACT
          150)
                 DOCUMENTS ARE AT VARIANCE THEREWITH IN ANY RESPECT. HE SHALL PROMPTLY
           151)
                 NOTIFY THE CONTRACTING OFFICER AND ANY NECESSARY CHANGES SHALL BE
          152)
                 ACCOMPLISHED BY APPROPRIATE CHANGE ORDER.
          153)
           154)
                 IF THE CONTRACTOR PERFORMS ANY WORK KNOWING IT TO BE CONTRARY TO SUCH
                 LAWS, ORDINANCES, AND REGULATIONS, AND WITHOUT SUCH NOTICE TO THE CONTRACTING OFFICER, HE SHALL ASSUME FULL RESPONSIBILITY THEREFOR AND
           155)
   2
           156)
           157)
                  SHALL BEAR ALL COSTS ATTRIBUTABLE THERETO.
           158)
                                                                                9. PATENT INDEMNITY
           159)
   1
                  REFER TO CLAUSE NO. 39 OF THE SUPPLEMENTAL PROVISIONS. EDIT INTERNALLY AS
           160)
   2
                  FOLLOWS:
           161)
                      FOLLOWING THE WORD . "EMPLOYEES" IN THE FIRST SENTENCE, INSERT THE
                      PHRASE "AND THE ARCHITECT, AND HIS CUNSULTANTS, AGENTS
           162)
   3 .
           163)
                      EMPLOYEES ...
           154)
```

13155

RAL INTELLIGENCE AGENCY

SH&G

Approved For Release 2009/04/02 : CIA-RDP89-00244R000300150010-7

13155

BP-3SP

Approved For Release 2009/04/02 : CIA-RDP89-00244R000300150010-7

SECTION GO110 PAGE 5
DATE 11/29/83 TIME 6.443
SPECIAL CONDITIONS
(SUPPLY CONTRACT)

SHEG 13155 BP-35P
RAL INTELLIGENCE AGENCY
HEADQUARTERS EXFANSION
BID PACKAGE 3SP
SUPPLY CONTRACT - PUMPS

15. ASSISHMENT OF CONTRACT

211)

2

THE GOVERNMENT RESERVES AND IS HEREBY GRANTED THE RIGHT TO ASSIGN THIS CONTRACT TO THE INSTALLING CONTRACTOR AND WAKE IT A PART OF THE CONTRACT CONTRACT TO THE INSTALLING CONTRACTOR AND MAKE IT A FART OF THE CONTRACT FOR BID PACKAGE 3. THE SUPPLY CONTRACTOR AGREES THAT, WHEN SUCH ASSIGNMENT IS MADE, HE WILL WORK UNDER THE INSTALLING CONTRACTOR IN THE ASSIGNMENT IS MADE, HE WILL WORK UNDER THE INSTALLING CONTRACT OF AN OFFICE OF AND THAT HE STATE BOUND TO AND ASSUME 212) 213) 214) BY THE INSTALLING CONTRACTOR, AND THAT HE WILL BE BOUND TO AND ASSUME 215) TOWARD THE INSTALLING CONTRACTOR ALL THE UDLIGATIONS AND RESPONSIBILITIES 216) THAT HE, BY HIS CONTRACT, ASSUMES TOWARD THE GOVERNMENT. IN CASE OF 217) ASSIGNMENT, PAYMENTS TO THE SUPPLY CONTRACTOR WILL BE BY THE INSTALLING 218) 219) 220)

221) CONTRACTOR.

Approved For Release 2009/04/02: CIA-RDP89-00244R000300150010-7 ION 00110A PAGE 1
CENTRAL INTELLIGENCE OCY
HEADQUARIERS EXPANSION
BID PACKAGE 3SP
SUPPLY CONTRACT - PUMPS

	2)	WARRANTY	
7	: 3)		
7	4)	PROJECT TITLE AND LOCATION	
7	5)	•	
7	6)	•	•••••••
7	7)	GOVERNMENT CONTRACT NUMBER	••••••
7	8) 9)		***************************************
7	10)	CONTRACTOR PROJECT NUMBER	
7	11)	WARRANTED SUPPLIES	••••••
7	12)		••••••
7	13) 14)		
7	15)	LENGTH OF WARRANTY (YEARS)	***************************************
7	16)	CONTRACTOR	*********
7	17)	SUBCONTRACTOR	***************************************
2	18) 19) 20) 21)	MANUFACTURED IN CONFORMANCE WITH DOCUMENTS FOR THE PROJECT/CONTRACT N	THE REQUIREMENTS OF THE CONTRACT
7	22)	STARTING ON 198 AN	D ENDING ON198
S	23) 24)		OF FAILURE TO PERFORM DUE TO ABUSE OR OR DAMAGE BY VANDALISM.
2	25)	SUBCONTRACTOR (IF APPLICABLE):	
7	26)	SIGNED	
7	27)	•••••	
7	28)	TITLE	*******
7	29)	NOTARY	
7	30)	DATE	
7	31)	CONTRACTOR:	
7	32)	SIGNED	
7	33)		••••••
7	34)	TITLE	•••••
7	35)	NOTARY	
7	36)	DATE	

Appro	.SH&G CENTRAL HEADQUA BID PAC	elease 2009/04/02 : CIA-RDP89-00 13155	0244R0003001	TE 11/23/83 TIME 17.929 SCHEDULE AND TIME OF COMPLETION
	ARTICLE		INDEX	LINE
	SCHEDUL	E		. 3
	***END	OF INDEX		
7	1)			·
7	2)			
. 1	.3)	÷.		SCHEDULE
5	4)	MILESTONE DATES.		
7	5)	INVITATION FOR BIDS		FEBRUARY 1, 1984.
7	6)	BID OPENING	•	MARCH 1, 1984.
7	7)	CONTRACT AWARD		APRIL 1, 1984.
7	8)	NOTICE TO PROCEED		APRIL 1, 1984.
7	9)	DELIVERY OF SEVEN PUMPS		NOVEMBER 1. 1984.
7	10) 11) 12)	TENTATIVE BENEFICIAL ACCEPTANCE OF THE SEVEN PUMPS		APRIL 1, 1985.

Approved For Release 2009/04/02 : CIA-RDP89-00244R000300150010-7 ECTION 01340 PAGE ATE 11/28/83 TIME 17.929 CENTRAL INTELLIGEN AGENCY SHOP DRAWINGS, PRODUCT DATA HEADQUARTERS EXPANSION AND SAMPLES BID PACKAGE 3SP SUPPLY CONTRACT - PUMPS LINE INDEX ARTICLE 1 1. GENERAL 11 2. DESCRIPTIONS AND SUBMITTALS 83 3. TRANSMITTAL AND APPROVAL ***END OF INDEX 1. GENERAL 1 1) REFER TO SECTION 01340A, " APPENDIX A - GOVERNMENT'S REVIEW STAMP ... 2 WITH FIRST SUBMISSION OF SHOP DRAWINGS, ETC., FURNISH TO CONTRACTING OFFICER FOUR RUBBER STAMPS IN THE FORM SHOWN IN APPENDIX "A". FAILURE TO 3) 4) FURNISH THESE STAMPS MAY BE CAUSE FOR REJECTION OF THE SUBMITTED 5) MATERIAL. 6) DATA AND SAMPLE SUBMITTALS FOR SCHEDULE SHOP PRODUCT DRAWING. 7) 2 8) INTER-RELATED ITEMS AT THE SAME TIME. SHOP DRAWINGS SUBMITTED WHICH ARE NOT REQUIRED BY THE SPECIFICATIONS OR 9) 2 THE CONTRACTING OFFICER WILL BE RETURNED WITH NO COMMENT. 10) 2. DESCRIPTIONS AND SUBMITTALS. 1 11) MODEL NUMBERS, RATINGS, PERFORMANCE CHARACTERISTICS AND OTHER PERTINENT 12) DATA SHALL BE CLEARLY MARKED AND IDENTIFIED ON SUBMITTALS. INFORMATION 13) PERTAINING TO SEVERAL SIZES OR GRADES OF ONE CLASSIFICATION OF SUPPLIES 14) OR TO SEVERAL COMPONENTS OF A SPECIFIC SYSTEM, SHALL BE BOUND TOGETHER 15) AND CLEARLY IDENTIFIED. EQUIPMENT OR PRODUCT, SHALL BE BOUND TOGETHER AND 16) CLEARLY IDENTIFIED. WHERE PRINTED MATERIALS DESCRIBE MORE THAN ONE 17) PRODUCT OR MODEL. CLEARLY IDENTIFY WHICH IS TO BE FURNISHED. 18) SHOP DRAWINGS 2 19) SHOP DRAWINGS ARE DRAWINGS, DIAGRAMS, SCHEDULES AND OTHER DATA 3 20) SPECIALLY PREPARED FOR THE WORK BY THE CONTRACTOR OR ANY 21) SUBCONTRACTOR, MANUFACTURER, SUPPLIER OR DISTRIBUTOR TO ILLUSTRATE 22) SOME PORTION OF THE WORK. 23) SUBMIT SHOP DRAWINGS IN THE FORM OF ONE REPRODUCIBLE TRANSPARENCY AND 3 24) TWO COPIES (PRINTED FROM THE TRANSPARENCY). DO NOT SEND MORE THAN THE 25) SPECIFIED NUMBER OF COPIES. ADDITIONAL COPIES WILL BE DISCARDED. 26) TRANSPARENCIES SHALL HAVE AN UNOBSTRUCTED SPACE AT THE RIGHT SIDE . OR BOTTOM OF SIZE NOT LESS THAN 6 INCHES BY 3 INCHES FOR APPROVAL 27) 28) STAMPS AND DOCUMENT CONTROL NUMBERING. 29) TRANSPARENCIES OF THE SAME ITEM OR SYSTEM SHALL BE OF UNIFORM SIZE 30) AND BE NUMBERED CONSECUTIVELY. 31) PRODUCT DATA 2 32) PRODUCT DATA ARE ILLUSTRATIONS, STANDARD SCHEDULES, PERFORMANCE CHARTS 33) 3 AND TEST DATA, INSTRUCTIONS, BROCHURES, DIAGRAMS AND OTHER INFORMATION FURNISHED BY THE CONTRACTOR TO ILLUSTRATE AN ITEM OR ELEMENT OF 34) 35) MATERIAL, EQUIPMENT OR SYSTEM FOR SOME PORTION OF THE WORK. 36) SUBMIT PRODUCT DATA (GENERALLY 8-1/2 BY 11 INCH SIZE) IN THE FORM OF 3 37) THREE, CLEAR, TOTALLY REPRODUCIBLE COPIES MADE BY REPRODUCTIVE MEANS 33) ON 8-1/2 BY 14 INCH (LEGAL SIZE) PAPER. THE 3 3Y 8-1/2 INCH SPACE 39) RESULTING FROM THE USE OF LEGAL SIZE PAPER SHALL BE LEFT UNOBSTRUCTED 40) FOR AFPROVAL STAMPS AND NOTATIONS. 41) PRODUCT DATA THAT CANNOT BE SUBMITTED IN REPRODUCIBLE FORM, SUCH AS 42) 3 PAINT COLOR CARDS, SHALL BE SUBMITTED IN FIVE COPIES. 43)

Approved For Release 2009/04/02 : CIA-RDP89-00244R000300150010-7 SHSG

PAU TIME 17.929

SE-CTION 01340

E8/85/11 STAG

SHOP DRAWINGS, PRODUCT DATA

13155

AL INTELLIGENCE AGENCY

HEADQUARTERS EXPANSION

BID PACKAGE 3SP

Approved For Release 2009/04/02: CIA-RDP89-00244R000300150010-7 TION 01340

CENTRAL INTELLIGENCE ENCY

HEADQUARTERS EXPANSION

HID PACKAGE 35P

SUPPLY CONTRACT - PURPS

1	83)	3. TRANSMITTAL AND APPROVAL
2	84)	TRANSMITTAL
3	85) 86)	TRANSMIT SHOP DRAWINGS. PRODUCT DATA AND SAMPLES USING TRANSMITTAL FORMS FURNISHED BY THE GOVERNMENT. FILL OUT TRANSMITTAL FORM.
4	87) 38)	INCOMPLETE OR ERRONEOUS TRANSMITTALS WILL BE RETURNED WITHOUT ACTION.
4	89)	PORTIONS OF TRANSMITTAL FORM WILL BE COMPLETED BY THE GOVERNMENT.
3	90) 91)	RESUBMITTAL PROCEDURE SHALL FOLLOW SAME PROCEDURE AS THE INITIAL SUBMITTAL.
2	92)	APPROVAL
3	93) - 94) 95) 96)	GOVERNMENT'S STAMP ON CONTRACTOR'S SUBMITTAL CHECKED "APPROVED" (CODE NO. 1), OR "APPROVED AS NOTED" (CODE NO. 2). APPROVAL DOES NOT AUTHORIZE CHANGES TO CONTRACT SUM UNLESS STATED IN SEPARATE LETTER OR CHANGE ORDER.
3	97) 98) 99)	UPON RECEIPT OF ""APPROVED"" OR ""APPROVED AS NOTED"" SUBMITTALS, MAKE NECESSARY COPIES FOR DISTRIBUTION TO PARTIES REQUIRING THE APPROVED INFORMATION.
2	100)	DISAPPROVAL
3	101) 102) 103)	GOVERNMENT'S STAMP CHECKED ""REVISE AND RESUBMIT" (CODE NO. 3), OR "NOT APPROVED" (CODE NO. 4). RESUBMIT CORRECTED COPIES FOR FINAL APPROVAL. CORRECTION SHALL BE LIMITED TO ITEMS MARKED.
3	104) 105) 106)	THE DISAPPROVAL OF SHOP DRAWINGS, PRODUCT DATA AND SAMPLES OR DELAY IN SUBMITTING OR RESUBMITTING SHOP DRAWINGS, PRODUCT DATA AND SAMPLES SHALL NOT BE DEEMED CAUSE FOR AN EXTENSION OF TIME.
2 .	107) 108) 109) 110) 111)	THE GOVERNMENT MAY HOLD SHOP DRAWINGS, PRODUCT DATA AND SAMPLES IN CASES WHERE PARTIAL SUBMITTAL CANNOT BE REVIEWED UNTIL THE COMPLETE SUBMITTAL HAS BEEN RECEIVED OR WHERE SUCH SUBMITTAL CANNOT BE REVIEWED UNTIL ASSOCIATED ITEMS HAVE BEEN RECEIVED. WHEN SUCH SUBMITTALS ARE HELD BY THE GOVERNMENT, IT WILL SO ADVISE THE CONTRACTOR IN WRITING.

***END OF SECTION



Date Rec	eived		· · · · · · · · · · · · · · · · · · ·	7
Documen	t Control No.			1
General :	Services Adm	inistration		1
	inchman & Gr Engineers Pl		ates, Inc.	
design co	g is only for co encept of the v nformation giv ts.	vork and con	npliance	
to be con for inform fabrication methods, cedures c	ractor is respondirmed and contact and con	rrelated at that ins solely to the mea equences and for cook	ne site; o the ns, id pro-	
Highes	t Number I	Prevails	Code	1
Approv	ed .		1	1
Approv	ed as Note	∍d	2	
Revise and Resubmit		omit	3	1
Not Ap	proved - R	esubmit	4	1
Dept.	Chkd.By	Date	Code	
Arch.				1
Struct.				
Mech.				
Elect.				
Civil				7
Security		·		1
				1
			1	1
				1
				7

Approved For Release 2009/04/02 : CIA-RDP89-00244R000300150010-7 10/27/83 TIME 17.737 CENTRAL INTELLIGENCE AT TY DELIVERY AND STORAGE HEADQUARTERS EXPANSION BID PACKAGE 3SP SUPPLY CONTRACT - PUMPS LINE INDEX ARTICLE 1. DELIVERY 6 2. UNLOADING AND POSSESSION ***END OF INDEX 1. DELIVERY 1) 1 ALL DELIVERIES TO THE PROJECT FOR ALL CONTRACTS WILL BE ACCORDING TO 2) 2 PRECISE SCHEDULES. PLAN AND EXECUTE DELIVERIES OF THE SUPPLIES ACCORDING TO THE SCHEDULE 4) 2 WORKED OUT WITH THE INSTALLING CONTRACTOR. 2. UNLOADING AND POSSESSION 1 6) CONTRACTOR'S AUTHORIZED REPRESENTATIVE SHALL BE PRESENT AT ALL TIMES OF ARRIVAL OF THE SUPPLIES AT THE PROJECT SITE, SHALL OBSERVE THE WORK OF UNLOADING, AND SHALL CERTIFY TO THE CONTRACTING OFFICER, IN WRITING, THAT 2 8) 9) THE SUPPLIES WERE UNLOADED WITHOUT DAMAGE, IF SUCH IS TRUE. 10) POSSESSION OF THE SUPPLIES SHALL PASS FROM THE CONTRACTOR TO THE INSTALLING CONTRACTOR AT MOMENT WHEN INSTALLING CONTRACTOR BEGINS TO MAKE 2 12) ATTACHMENTS FOR UNLOADING. 13) POSSESSION BY INSTALLING CONTRACTOR SHALL IN NO WAY DIMINISH THE SUPPLY 15) - CONTRACTOR'S RESPONSIBILITY FOR PROPER PERFORMANCE OF THE SUPPLIES IN THE 2 16) ABSENCE OF DAMAGE CAUSED BY INSTALLING CONTRACTOR'S OPERATIONS. ***END OF SECTION

SECTION 15610 PAGE TIME 18.443 Approved For Release 2009/04/02 : CIA-RDP89-00244R000300150010-7 11/29/83 CONDENSER WATER PUMPS HEADQUARTERS EXPANSION BID PACKAGE 3SP SUPPLY CONTRACT - PUMPS LINE INDEX ARTICLE 1 CONDENSER WATER PUMPS ***END OF INDEX CONDENSER WATER PUMPS 1) GENERAL 2) 2 FURNISH A TOTAL OF SEVEN (7) CONDENSER WATER PUMPS. 3) 3 PUMPS SHALL HAVE THE CAPACITIES AND CHARACTERISTICS AS HEREINAFTER 4) 3 SPECIFIED. 5) PUMP NAMEPLATES SHALL CONTAIN THE GPM AND HEAD AT THE SELECTION POINT. 6) 3 SINCE PUMP NAMEPLATE IS TO BE COVERED BY FIXED INSULATION, THE GPM AND 7) HEAD AT THE SELECTION POINT SHALL ALSO BE INCLUDED IN THE MOTOR 8) NAMEPLATE DATA. 9) FURNISH CERTIFIED PUMP CHARACTERISTIC CURVES WITH THE PUMPS SHOWING 10) 3 CAPACITIES, HEADS, EFFICIENCIES AND BRAKE HURSEPOWER THROUGHOUT THE ENTIRE RANGE OF THE PUMPS WHEN OPERATING SINGLY AND THRU THE RANGE OF 11) 12) THE ENTIRE SEVEN PUMPS OPERATING IN PARALLEL. 13) PUMPS SHALL BE SELECTED TO PERFORM THE SPECIFIC DUTY FOR WHICH THEY 14) 3 ARE INTENDED. 15) THE RATIO OF THE MAXIMUM PUMP IMPELLER DIAMETER TO THE SELECTED PUMP 16) 3 IMPELLER DIAMETER SHALL BE 1.15 OR GREATER. 17) PUMPS SHALL BE CHECKED FOR LUBRICATION, ALLIGNMENT AND OPERATING CONDITIONS BY A FACTORY REPRESENTALIVE AFTER PUMPS HAVE BEEN SET, 18) 19) LEVELLED, GROUTED, CONNECTED TO PIPING, AND SYSTEM FILLED READY TO 500 OPERATE. 21) PUMPS SHALL BE SELECTED TO OPERATE WITHIN TWO PERCENTAGE POINTS OF 3 22) MAXIMUM EFFICIENCY ON THE IMPELLER CURVE SELECTED AND HAVE A MAXIMUM 23) SUCTION VELOCITY OF EIGHT FEET PER SECOND. 24) NO POINT ON THE HEAD-CAPACITY CURVE SHALL EXCEED THE MOTOR HORSEPOWER 25) 3 SELECTED TO DRIVE THE PUMP. 26) MOTOR HORSEPOWER AT THE SELECTION POINT SHALL NOT EXCEED 95 PERCENT OF 27) 3 THE RATED MOTOR HORSEPOWER. 28) PUMPS SHALL BE DOUBLE SUCTION SPLIT CASE TYPE, MOTOR DRIVEN THRU A 29) 3 FLEXIBLE COUPLING, MOUNTED ON A COMMON ENCLOSED CAST IRON OR STEEL BASE SUITABLE FOR AND WITH ADEQUATE PROVISIONS FOR GROUTING. 30) 31) PUMP CASINGS SHALL BE CLOSE GRAINED CAST INON SUITABLE FOR 175 LB. 32) 3 WORKING PRESSURE WITH 125 LB. ANSI FLANGES. 33) VOLUTE SHALL BE SUPPLIED WITH PLUGGED VENT, DRAIN AND GAGE THE PUMP 34) 3 TAPPINGS. 35) PUMP SHAFTS SHALL BE OF STAINLESS STEEL. 36) 3 BEARINGS SHALL BE REGREASABLE BALL TYPE. 37) 3 IMPELLERS SHALL BE BRONZE, ENCLOSED DOUBLE SUCTION TYPE, KEYED TO 38) 3 SHAFT AND DYNAMICALLY BALANCED FOR QUIET UPERATION. 39) PUMPS SHALL BE EQUIPPED WITH PACKED STUFFILED BOX CONSTRUCTION WITH A 40) MINIMUM OF 4 RINGS OF PACKING PLUS AN EXTERNALLY SUPPLIED FLUSH RING 3 41) TO PROVIDE PROPER FLUSH LUBRICATION. PUMPS SHALL BE EQUIPPED WITH 42) SUITABLE DRIP PAN WITH TAPPED CONNECTION AND PIPING TO DRAIN.

,	44)	PUMPS SHALL EACH HAVE A CAPACITY OF 4450 GPM AT A TOTAL DYNAMIC HEAD
3	45)	OF 125 FEFT WHEN DRIVEN AT 1750 RPM BY A 200 MAXIMON NORSEL CONT.
	46)	PUMPS WILL HAVE A TOTAL 14 NPSH AVAILABLE.
	407	
3	47)	PUMPS SHALL BE INGERSOLL-RAND WORTHINGTON, BUFFALO FORGE; AURORA;
,	48)	PEERLESS; WEINMAN, OR AS APPROVED.
	407	
2	49) M	OTORS
۲.	,,,,	
3	5Ü)	MOTORS SHALL CONFORM TO THE FOLLOWING STANDARDS AND REQUIREMENTS:
,		
4	51)	"AMERICAN STANDARDS FOR ROTATING ELECTRICAL MACHINERY, C50",
	52)	AMERICAN NATIONAL STANDARDS INSTITUTE.
		**AMERICAN STANDARD TERMINAL MARKINGS FOR ELECTRICAL APPARATUS
4	53)	**AMERICAN STANDARD TERMINAL MARKINGS
	54)	C6.1 * AMERICAN NATIONAL STANDARDS INSTITUTE.
		"NEMA STANDARDS FOR MOTORS AND GENERATORS"", LATEST EDITION.
4	55)	
		AMERICAN STANDARD DEFINITIONS OF ELECTRICAL TERMS, AMERICAN
4	56)	NATIONAL STANDARDS INSTITUTE.
	57)	
	58)	THE MOTOR HORSEPOWER RATINGS SPECIFIED, SCHEDULED, OR SHOWN SHALL BE
3	59)	UNDERSTOOD TO BE THE MINIMUM ACCEPTABLE AND THE INDICATED MOTOR SPEEDS
		THE MAXIMUM ACCEPTABLE.
	60)	
3	61)	MOTORS SHALL BE WOUND FOR 4000 VOLT, WYE, 3 PHASE, 60 HERTZ, 200 HP.
3	017	
3	62)	MOTORS SHALL BE NEMA RATED ""U" FRAME. """ FRAME MOTORS ARE NOT
•	63)	ACCEPTABLE.
		CONTRACT CASE INDUCTION TYPE DESIGN
3	64)	MOTORS SHALL BE GENERAL PURPOSE, SQUIRKEL CAGE INDUCTION TYPE, DESIGN
	65)	MOTORS SHALL BE GENERAL FURNOSE STARTING WITH MAXIMUM SLIP OF 5
•	66)	PERCENT AND LOCKED ROTOR AND BREAKDOWN TURBUES AS DEFINED IN NEMA.
	•	MOTORS SHALL BE OPEN, DRIP-PROOF NEMA CLASS B INSULATION, RATED 1.15
3	67)	
	68)	SERVICE FACTOR.
		SPEED CLASSIFICATION SHALL BE AS INDICATED OR REQUIRED FOR THE SERVICE
3	69)	AND IN ACCORD WITH THE ESTABLISHED NEMA STANDARD MG1.
	70)	·
-	71)	MOTORS SHALL OPERATE SUCCESSFULLY AT RATED LOAD WITH MAXIMUM VOLTAGE
3	72)	VARIATION OF PLUS OR MINUS 10 PERCENT AT RATED FREQUENCY.
•	127	
3	73)	MOTORS SHALL BE SIZED SO THAT THEIR DESIGN LOADS SHALL NOT EXCEED 95
,	74)	PERCENT OF THEIR RATED LOADS.
	• • •	
3	75)	MOTORS SHALL HAVE CODE LETTERS FOR LOCKED ROTOR KVA PER HORSEPOWER AS
•	76)	DEFINED IN ACCORD WITH NEMA STANDARD MG1.
		THAT SHALL GIVE MINIMUM
3	77)	MOTORS SHALL HAVE NAMEPLATES ATTACHED THERETO THAT SHALL GIVE MINIMUM
	78)	MOTORS SHALL HAVE NAMEPLATES IN NEMA STANDARD MG1. WHENEVER THE MOTOR INFORMATION AS DEFINED IN NEMA STANDARD MG1. WHENEVER THE MOTOR INFORMATION SHALL BE
	79)	INFORMATION AS DEFINED IN NEW STANDARD NOTES INFORMATION SHALL BE NAMEPLATE IS NOT VISIBLE, A PLATE WITH DUPLICATE INFORMATION SHALL BE PROVIDED WHERE IT CAN BE READILY SEEN. NAMEPLATES SHALL NOT BE REMOVED
	80)	
	81)	FROM MOTOR.
		AND AND STREET, SHALL INCLINE.
3	82)	MOTOR ACCESSORIES SHALL INCLUDE:
		GREASE LUBRICATED BALL TYPE BEARINGS.
4	83)	
	5 / \	TYPE OF MOUNTING AS REQUIRED WITH STANDARD DIMENSIONS IN ACCORD
4	84)	WITH NEMA SECTION MG1-PART 3.
	85)	
4	86)	JUNCTION BOX OF ADEQUATE SIZE TO TERMINATE THE INDICATED CONDUIT
4	87)	The about a provide the state of the state o
	88)	JUNCTION BOX SHALL HAVE A SEPARATE LUG FOR GROUND CONNECTION.
	3.5	
4	89)	SOLDERLESS CONNECTORS USED ON ALL MOTUR LEADS.

Approved For Release 2009/04/02 : CIA-RDP89-00244R000300150010-7 JON 15610 11/29/83 TIME 18.443 BP-3SF 13155 CENTRAL INTELLIGENCE AGENCY CONDENSER WATER PUMPS HEADQUARTERS EXPANSION BID PACKAGE 3SP SUPPLY CONTRACT - PUMPS MOTOR COMPARTMENTS SHALL BE CLEAN AND DRY AND ADEQUATELY VENTED 90) . DIRECTLY TO THE EXTERIOR. 91) MOTORS SHALL BE AS MANUFACTURED BY DELCO; LIMA; REULAND; GENERAL ELECTRIC; ELECTRIC APPARATUS; OR AS APPROVED. 92) 3 93) A LOAD TEST SHALL BE CONDUCTED ON ALL MOTORS AND THE CURRENT READINGS TAKEN. UNDER NO CONDITION SHALL THE LOAD CURRENT EXCEED THE NAMEPLATE 3 94) RATING OF THE MOTOR. IF THIS CONDITION EAISTS. THE CONTRACTING OFFICER 95) 96) SHALL BE NOTIFIED IMMEDIATELY. 97)